



- Even if a food is not listed as a grain-based dessert, it can still be high in added sugars. As a best practice, compare grains and choose those that are lower in sugars. For instance, the amount of added sugars in a muffin can vary from recipe to recipe. Some muffins are as sweet as cupcakes and include ingredients such as candy and chocolate pieces or cinnamon-sugar toppings.
- Look for alternatives to sweet toppings (such as syrups, honey, and cinnamon sugars). For example, try topping pancakes with fruits instead of syrup. Starting these practices early helps kids develop healthy habits.

## **Try It Out!**

- 1. Think about some grain-based desserts that you used to serve. Add them to the "Instead of serving" column on the left.
- 2. What are some other foods you can serve instead? Add them to the "Try" column in the middle.
- 3. Think of other foods you could substitute for the examples listed below. Add them to the right column under "Other Choices."

Instead of serving:	Try:	Other Choices:
Doughnuts or cinnamon rolls	Pancakes or waffles topped with sliced fruit	
Marshmallow cereal treat	Whole-grain tortilla chips or fruit	
Cookies	Whole-wheat crackers or graham crackers	
Cake or brownies	Banana bread	
Toaster pastries	Whole-wheat toast	

Use your "Try" and "Other Choices" lists to help you plan new menus at your site!